


Suicide Prevention in Massachusetts

Kelley Cunningham

MA Department of Public Health

Division of Violence & Injury Prevention

Suicide Prevention Unit



Increase 38 - 58%
Increase 31 - 37%
Increase 19 - 30%
Increase 6 - 18%
Decrease 1%

Terminology



Die(d) by suicide – preferred term used instead of "committed suicide" or "completed suicide"

 Survivor of Suicide Loss – the family member or friend of a person who has died by suicide

 Attempt Survivor – an individual who has attempted to take their life

Terminology



Suicide Attempt – a person who has made an attempt to end their life with the intent of death Should never be stated as a failed suicide, unsuccessful suicide attempt or a successful attempt

 Suicidal Ideation – a person who has thoughts of ending ones life, but may or may not have a plan and has not acted on the plan



DATA

How do we compare...



	Louisiana [11 oc / Double]	45 / /	A. T. and
32	Iowa [WNC / Midwest]	451	14.4
	Nation	44,965	13.9
33	Virginia [SA / South]	1,166	13.9
34	Georgia [SA / South]	1,409	13.7
34	Michigan [ENC / Midwest]	1,364	13.7
36	North Carolina [SA / South]	1,373	13.5
36	Minnesota [WNC / Midwest]	745	13.5
38	Nebraska [WNC / Midwest]	246	12.9
39	Mississippi [ESC / South]	383	12.8
40	Texas [WSC / South]	3,488	12.5
40	Delaware [SA / South]	119	12.5
42	Hawaii [P / West]	174	12.2
43	Rhode Island [NE / Northeast]	126	11.9
44	Illinois [ENC / Midwest]	1,415	11.1
44	Connecticut [NE / Northeast]	397	11.1
46	California [P / West]	4,294	10.9
47	Maryland [SA / South]	586	9.7
48	Massachusetts [NE / Northeast]	631	9.3
49	New York [MA / Northeast]	1,679	8.5
50	New Jersey [MA / Northeast]	687	7.7
51	District of Columbia [SA / South] 40	5.9
rela The	ition: Annual fluctuations in state leve utively small populations can make the use of several years' data is preferab gle years alone.	se data highly	variable.
Sug	gested citation: Drapeau, C. W., & McIn Association of Suicidology). (Official final data. Washington, Suicidology, dated December http://www.suicidology.org.	2017). U.S.A. DC: American	suicide 2016: Association of

Division [Abbreviation]	Rate	Number
Mountain [M]		
East South Central [ESC]		
West North Central [WNC]		
South Atlantic [SA]		
West South Central [WSC]		
Nation		
East North Central [ENC]		
Pacific [P]		
New England [NE]		
Middle Atlantic [MA]		
Region [Subdivision Abbreviations]	Rate	Number
West (M, P)		
Midwest (WNC, ENC)		
South (ESC, WSC, SA)		
Nation		
Northeast (NE, MA)	10.8	6,078

Source: Obtained 23 December 2017 from CDC/NCHS's WONDER (to appear in Deaths: Final Data for 2016, forthcoming) http://www.cdc.gov/nchs/products/nvsr.htm

> [data are by place of residence] [Suicide = ICD-10 Codes X60-X84, Y87.0, U03]

Note: All rates are per 100,000 population.

* Including the District of Columbia.

Trends




National (2016)

- 44,695 deaths (10th leading cause)
- Age-adjusted death rate13.4
- 77% of deaths are males
- Mechanism
 - 1. Firearms (51%)
 - 2. Suffocation (26%)
 - 3. Poisoning (11%)

MA (2015)


- □ 631 deaths
- Age-adjusted death rate9.3
- □ 74% of deaths are males
- Mechanism
 - Suffocation (45%)
 - 2. Firearms (22%)
 - 3. Poisoning (15%)






Sources: MA Violent Death Reporting System, MA Department of Public Health; Fatality Analysis Reporting System (FARS), National Highway Traffic Safety Administration (NHTSA)






Source: MA Violent Death Reporting System, MA Department of Public Health; National Center for Health Statistics Vintage 2015 Postcensal Estimates of Resident Population





Source: MA Violent Death Reporting System, MA Department of Public Health; MA Center for Health Information and Analysis





Source: MA Violent Death Reporting System, MA Department of Public Health

The Impact of Suicide



 For every one suicide there are 6 loss survivors (conservative number)


Stigma

The grieving process

Reaching out for help/support

What do you see?





Loss Survivors + Attempt Survivors

Impact



Fear

What is happening to me/my loved one?

What do we do when we leave the hospital?

Confusion

Where do we get help?

Are we asking the right questions?

Anxiety

Am I doing the right thing?

Will anyone judge me or my family?



Suicide Prevention Efforts in MA

Funding for Suicide Prevention



State

- Funding community-based providers
- Sister State Agencies
- State and Regional Coalitions
- Trainings
 - Who and what
 - Annual 2-day StatewideSuicide Prevention Conference
- Samaritans StatewideHelpline
- Community Advisory Board

Federal

- SAMHSA Grants
 - Garrett Lee Smith
 Grant (ages 10-24) —
 funded since 2005
 (DPH)
 - National Strategies for Suicide Prevention (ages 25-64) – 2017
 DMH funding

Postvention



Responding to communities

□ Riverside Trauma Center

Turning postvention into prevention

New Work in Suicide Prevention



ZERO Suicide IN HEALTH AND BEHAVIORAL HEALTH CARE

zerosuicide.com

September happenings



National Suicide Prevention Week

 Suicide prevention trainings being offered to DPH staff next week

Check out our tweets this week

- MCSP calendar of events across the state
 - Walks
 - Screening of "The Ripple Effect"

Resources



- MDPH Suicide Prevention Program mass.gov/dph/suicideprevention
- Massachusetts Coalition for Suicide Prevention (MCSP) masspreventssuicide.org
- Suicide Prevention Resource Center (SPRC) sprc.org
- Zero Suicide zerosuicide.org
- American Association of Suicidology (AAS) suicidology.org

Contact



Kelley Cunningham

Director, Suicide Prevention Unit Division of Violence and Injury Prevention MA Department of Public Health

kelley.cunningham@state.ma.us

617-624-5460